

Stripping machine

SJ 266

Benchtop electro-pneumatic stripping machine for cables with diameters from 2 to 26 mm



Technical specifications are subject to change according to possible needs and without notice.

FEATURES

- Stripping machine can strip the jackets of round wires and cables up to 26 mm in diameter
- The solid, powerful machine processes thick, tough, soft and thin insulation materials
- Simple operation, short cycle times and a universal blade design
- The rotating 4-blade system centers the cable and creates precise incisions into the cable jacket
- After the cable jacket has been cut, it is removed using a strong electric motor (full / partial or window strip can be selected)
- Pneumatically operated clamping jaws guarantee optimal cable retention during the stripping processing, then waste insulation material is automatically ejected
- No blades change required
- High repeatability and versatility

OPTIONS

- Cable Guides
- Pedal

TECHNICAL SPECIFICATIONS

	SJ 266
Cable diameter	min 2 mm - max 26 mm
Diameter accuracy	0,1 mm
Stripping length	7 - 600 mm adjustable
Pull of length	0 – 400 mm adjustable
Jacket thickness	max 6 mm
Cycle time	approx. 2,2 sec
Blades	4 blades HSS
Pneumatic supply	5 - 7 bar
Power supply	100/115 VAC 230/240 VAC 300 VA 50/60 Hz
Dimensions & Weight	1172 x 428 x 408 mm / 81 Kg

CE Conformity: SJ 266 is fully compliant with CE regulations and EMC equipment guidelines for mechanical, electrical and electromagnetic compatibility.

Note: we recommend to send samples with the application requirements for a preliminary examination.

- Kapton
- PUR
- PVC
- Rubber
- Teflon®
- Tefzel®

Processable materials

